

DIN EN 13286-2



ICS 93.080.20

Supersedes
DIN EN 13286-2:2010-12

**Unbound and hydraulically bound mixtures –
Part 2: Test methods for laboratory reference density and water
content –
Proctor compaction;
English version EN 13286-2:2010 + AC:2012,
English translation of DIN EN 13286-2:2013-02**

Ungebundene und hydraulisch gebundene Gemische –
Teil 2: Laborprüfverfahren zur Bestimmung der Referenz-Trockendichte und des
Wassergehaltes –
Proctorversuch;
Englische Fassung EN 13286-2:2010 + AC:2012,
Englische Übersetzung von DIN EN 13286-2:2013-02

Mélanges traités et mélanges non traités aux liants hydrauliques –
Partie 2: Méthodes d'essai de détermination en laboratoire de la masse volumique de
référence et de la teneur en eau –
Compactage Proctor;
Version anglaise EN 13286-2:2010 + AC:2012,
Traduction anglaise de DIN EN 13286-2:2013-02

Document comprises 31 pages

Translation by DIN-Sprachendienst.

In case of doubt, the German-language original shall be considered authoritative.



National foreword

This document (EN 13286-2:2010 + AC:2012) has been prepared by Technical Committee CEN/TC 227 “Road materials” (Secretariat: DIN, Germany).

The responsible German body involved in its preparation was the *Normenausschuss Bauwesen* (Building and Civil Engineering Standards Committee), Working Committee NA 005-10-90 AA *SpCEN/TC 154/SC 3,4 und SpCEN/TC 227/WG 4*.

Amendments

This standard differs from DIN EN 13286-2:2004-10 as follows:

- a) Table 4, line 3 has been revised;
- b) Subclause 6.5.3 has been revised;
- c) Clause 10 has been deleted;
- d) Formula (B.2) has been corrected;
- e) Formula (B.3) has been corrected;
- f) Formula (B.4) has been corrected.

Compared with DIN EN 13286-2:2012-12, the following corrections have been made:

- a) EN 13286-2:2012/AC:2012 (re B.5) has been incorporated.

Previous editions

DIN EN 13286-2: 2004-10; 2012-12

English Version

Unbound and hydraulically bound mixtures —
Part 2: Test methods for
laboratory reference density and water content —
Proctor compaction

Mélanges traités et mélanges non traités aux liants
hydrauliques —
Partie 2: Méthodes d'essai de détermination en
laboratoire de la masse volumique de référence et
de la teneur en eau —
Compactage Proctor

Ungebundene und hydraulisch gebundene Gemische —
Teil 2: Laborprüfverfahren zur Bestimmung der
Referenz-Trockendichte und des Wassergehaltes —
Proctorversuch

EN 13286-2:2010 was approved by CEN on 2010-07-22 and Corrigendum AC:2012 on 2012-11-28.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

	page
Foreword to EN 13286-2:2010	3
Foreword to EN 13286-2:2010/AC:2012.....	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Principle	6
5 Apparatus	6
6 Preparation	10
6.1 General.....	10
6.2 Samples for compaction tests.....	11
6.3 Preliminary assessment.....	11
6.4 Mixtures totally passing the 16 mm test sieve	11
6.5 Mixtures not totally passing the 16 mm test sieve.....	11
6.5.1 Mixtures totally passing the 31,5 mm test sieve	11
6.5.2 Mixtures 75 % to 100 % passing the 31,5 mm test sieve and totally passing the 63 mm test sieve	12
6.5.3 Mixtures with an oversize > 25 % by mass on the 31,5 mm test sieve and 75 % to 100 % passing the 63 mm test sieve	12
7 Procedure	12
7.1 Proctor test for mixtures compacted with a 2,5 kg rammer (A) in the Proctor mould (A)	12
7.2 Proctor test for mixtures compacted with a 2,5 kg rammer (A) in the large Proctor mould (B)	13
7.3 Proctor test for mixtures compacted with a 15,0 kg rammer (C) in the extra large Proctor mould (C)	14
7.4 Modified Proctor test for mixtures compacted with a 4,5 kg rammer (B) in the Proctor mould (A)	14
7.5 Modified Proctor test for mixtures compacted with a 4,5 kg rammer (B) in the large Proctor mould (B)	15
7.6 Modified Proctor test for mixtures compacted with a 15,0 kg rammer (C) in the extra large Proctor mould (C)	16
8 Calculations, plotting and expression of results	17
8.1 Calculations.....	17
8.2 Plotting.....	17
9 Test report	18
Annex A (informative) Dimensions of alternative apparatus	19
Annex B (normative) One point Proctor test	22
Annex C (informative) Correction for oversize (material retained on the 16 mm, 31,5 mm and 63 mm test sieves).....	26
Annex D (informative) Proctor test for self-draining mixtures.....	27