

## DIN EN 13286-7



ICS 93.080.20

**Unbound and hydraulically bound mixtures**

Part 7: Cyclic load triaxial test for unbound mixtures

English version of DIN EN 13286-7

Ungebundene und hydraulisch gebundene Gemische – Teil 7: Dreiaxialprüfung mit zyklischer Belastung für ungebundene Gemische

**European Standard EN 13286-7 : 2004 has the status of a DIN Standard.**

*A comma is used as the decimal marker.*

**National foreword**

This standard has been prepared by CEN/TC 227 'Road materials' (Secretariat: Germany).

The responsible German body involved in its preparation was the *Normenausschuss Bauwesen* (Building and Civil Engineering Standards Committee), Technical Committee 10.10.00 *Hydraulisch gebundene und ungebundene Mischungen*.

Document comprises 37 pages.



English version

Unbound and hydraulically bound mixtures

Part 7: Cyclic load triaxial test for unbound mixtures

Graves traitées aux liants hydrauliques et graves non traitées – Partie 7: Essai triaxial sous charge cyclique pour mélanges sans liant hydraulique

Ungebundene und hydraulisch gebundene Gemische – Teil 7: Dreiaxialprüfung mit zyklischer Belastung für ungebundene Gemische

This European Standard was approved by CEN on 2003-11-14.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland, and the United Kingdom.

**CEN**

European Committee for Standardization  
Comité Européen de Normalisation  
Europäisches Komitee für Normung

**Management Centre: rue de Stassart 36, B-1050 Brussels**

## Contents

Page

Foreword.....	4
1 Scope.....	5
2 Normative references .....	5
3 Symbols and abbreviations .....	6
4 Principle .....	7
4.1 Procedure for the study of the resilient behaviour.....	7
4.2 Procedure for the study of permanent deformations.....	7
4.3 Multi-stage procedure.....	7
5 Apparatus.....	7
5.1 General .....	7
5.2 Triaxial pressure chamber ('cell') .....	8
5.2.1 General .....	8
5.2.2 Chamber medium.....	8
5.2.3 Top and bottom plate.....	8
5.3 Loading device .....	8
5.3.1 Method A – Variable confining pressure .....	8
5.3.2 Method B - Constant confining pressure .....	8
5.4 Pressure transducers .....	9
5.5 Axial load transducer.....	9
5.6 Response measuring equipment.....	9
5.7 Other equipment.....	9
5.8 Specimen cap and base .....	9
5.9 Porous discs.....	9
5.10 Semi-permeable filters.....	10
5.11 Membrane .....	10
5.12 Specimen-size measurement devices .....	10
5.13 Balance.....	10
5.14 Testing environment.....	10
6 Preparation .....	10
6.1 General .....	10
6.2 Set up of specimen and deformation measuring equipment .....	11
7 Test procedures for the study of the resilient behaviour .....	11
7.1 Principle .....	11
7.2 Method A: Variable confining pressure .....	11
7.2.1 General .....	11
7.2.2 Conditioning of the specimen.....	11
7.2.3 Repeated loading for resilient testing.....	12
7.3 Method B: Constant confining pressure .....	13
7.3.1 General .....	13
7.3.2 Conditioning of the specimen.....	13
7.3.3 Repeated loading for resilient testing.....	14
8 Test procedures for the study of permanent deformation .....	16
8.1 Principle .....	16
8.2 Single Stage loading .....	16
8.2.1 General .....	16
8.2.2 Method A: Variable confining pressure .....	16
8.2.3 Method B : Constant confining pressure .....	16
8.3 Multi-stage loading .....	17