

DIN EN 544

DIN

ICS 91.100.50

Supersedes
DIN EN 544:2006-03
See start of application

**Bitumen shingles with mineral and/or synthetic reinforcements –
Product specification and test methods
English translation of DIN EN 544:2011-09**

Bitumenschindeln mit mineralhaltiger Einlage und/oder Kunststoffeinlage –
Produktspezifikation und Prüfverfahren
Englische Übersetzung von DIN EN 544:2011-09

Bardeaux bitumés avec armature minérale et/ou synthétique –
Spécifications des produits et méthodes d'essai
Traduction anglaise de DIN EN 544:2011-09

Document comprises 39 pages

Translation by DIN-Sprachendienst.

In case of doubt, the German-language original shall be considered authoritative.

A comma is used as the decimal marker.

Start of application

The start of application of this standard is due to be 1 March 2012.

DIN EN 544:2006-03 may be used in parallel until 31 March 2013 (see deadline in the EU Official Journal).

It should be noted that, in Germany, CE conformity marking of construction products will be permitted once this standard has been listed in the *Bundesanzeiger* (German Federal Gazette) and from the date given therein.

National foreword

This standard has been prepared by Technical Committee CEN/TC 128 “Roof covering products for discontinuous laying and products for wall cladding” (Secretariat: NBN, Belgium).

The responsible German body involved in its preparation was the *Normenausschuss Bauwesen* (Building and Civil Engineering Standards Committee), Working Committee NA 005-02-05 AA *Bitumenschindeln und Bitumenwellplatten* (SpA zu CEN/TC 128/SC 6).

In some Member States, minimum requirements for the reaction to fire of construction products are specified (e.g. EN 13501-1 class E in Germany). Compliance with these requirements is to be verified if the construction product is used in the respective Member State.

Amendments

This standard differs from DIN EN 544:2006-03 as follows:

- a) multilayer shingles having a minimum mass of bitumen of 1 500 g/m² have been added;
- b) the standard has been editorially revised.

Previous editions

DIN EN 544: 1998-10, 2006-03

English Version

Bitumen shingles with mineral and/or synthetic reinforcements - Product specification and test methods

Bardeaux bitumés avec armature minérale et/ou
synthétique - Spécifications des produits et méthodes
d'essai

Bitumenschindeln mit mineralhaltiger Einlage und/oder
Kunststoffeinlage - Produktspezifikation und Prüfverfahren

This European Standard was approved by CEN on 26 May 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	4
Introduction	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	7
4 Requirements	9
4.1 Materials	9
4.1.1 Mass of bitumen.....	9
4.1.2 Upperside surfacing	9
4.1.3 Underside surfacing	9
4.2 Geometrical properties	10
4.2.1 Shapes	10
4.2.2 Surface of overlapping	10
4.3 Mechanical properties	10
4.3.1 Tensile strength	10
4.3.2 Nail shank tear resistance	10
4.4 Durability	10
4.4.1 Water absorption	10
4.4.2 Resistance to UV radiation	10
4.4.3 Resistance to blistering	11
4.4.4 Flow resistance at elevated temperature	11
4.4.5 Adhesion of mineral granules or flakes of slate.....	11
4.4.6 Resistance to peeling for metal-surfaced shingles.....	11
4.5 Fire performance.....	11
4.5.1 Reaction to fire.....	11
4.5.2 External fire performance	11
5 Sampling	12
5.1 General.....	12
5.1.1 Cutting of test pieces	12
5.1.2 Marking of test pieces	12
5.2 Mass of bitumen.....	12
5.3 Geometrical tests.....	12
5.3.1 Shapes	12
5.3.2 Surface of overlapping of multilayer shingles.....	12
5.4 Tensile strength	12
5.5 Nail shank tear resistance	13
5.6 Water absorption	15
5.7 Resistance to UV radiation	15
5.8 Blistering	15
5.9 Flow resistance at elevated temperature	15
5.10 Adhesion of mineral granules and flakes of slate.....	15
5.11 Peeling for metal foil	15
5.12 Fire performance.....	15
5.12.1 Reaction to fire.....	15
5.12.2 External fire performance	15
6 Test methods.....	15
6.1 Sampling.....	15
6.2 Mass of bitumen.....	16