
**Grout for prestressing tendons —
Part 2:
Grouting procedures**

*Coulis pour câbles de précontrainte —
Partie 2: Modes opératoires de gobeage*



Reference number
ISO 14824-2:2012(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Documentation	1
4.1 Execution specification	1
4.2 Quality plan	2
4.3 Execution documentation	2
5 Materials	2
6 Grout assessment	3
6.1 Suitability testing	3
6.2 Project specific grouting tests	3
7 Equipment	4
7.1 General	4
7.2 Mixer	4
7.3 Pump	4
7.4 Hoses	4
7.5 Inlet connections	4
7.6 Stand-by and emergency equipment	4
8 Grouting procedures	5
8.1 Inlets, outlets and tendon anchorages	5
8.2 Precautions before grouting	5
8.3 Temperature at grouting	5
8.4 Grouting operations	6
8.5 Precautions after grouting	6
9 Quality management	6
9.1 General	6
9.2 Personnel	7
9.3 Inspection	7
9.4 Conformity criteria	10
9.5 Action in the event of a non-conformity	10
Bibliography	12