
**Geotechnical investigation and
testing — Sampling methods and
groundwater measurements —**

**Part 1:
Technical principles for the sampling
of soil, rock and groundwater**

*Reconnaissance et essais géotechniques — Méthodes de prélèvement
et mesurages piézométriques —*

*Partie 1: Principes techniques pour le prélèvement des sols, des roches
et des eaux souterraines*



Reference number
ISO 22475-1:2021(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
1 Scope	1
2 Normative references	1
3 Terms, definitions and abbreviated terms	2
3.1 Ground investigation methods	2
3.2 Drilling rigs and equipment	3
3.3 Sampling	4
3.4 Rock and soil properties	9
3.5 Abbreviated terms	9
4 Equipment	10
4.1 Requirements for the drilling rigs and equipment	10
4.2 Drilling parameters	10
4.3 Safety and special requirements	10
5 Procedures	11
5.1 General requirements for sampling	11
5.2 Selection of techniques and methods	11
5.3 Sampling categories for soil	11
5.3.1 General	11
5.3.2 Sample disturbance	12
5.3.3 Category A sampling	12
5.3.4 Category B sampling	13
5.3.5 Category C sampling	13
5.3.6 Category D sampling	13
5.3.7 Category E sampling	13
5.4 Sampling categories for rock	13
5.4.1 General	13
5.4.2 Sampling disturbance	14
5.4.3 Category A sampling	14
5.4.4 Category B sampling	14
5.4.5 Category C sampling	15
5.4.6 Category D sampling	15
5.4.7 Category E sampling	15
5.5 Sampling in trial pits, other excavations, headings and shafts	15
5.6 Requirements for ground investigation sites and points	15
5.7 Preliminary information needed before starting sampling	16
5.8 Backfilling and site reinstatement	16
6 Soil sampling methods	17
6.1 General	17
6.2 Sampling by drilling (continuous sampling)	17
6.2.1 General	17
6.2.2 Sampling by rotary drilling	26
6.2.3 Sampling by use of hammer driving methods	28
6.2.4 Sampling by cable percussion drilling	28
6.2.5 Sampling by hollow stem auger drilling	28
6.2.6 Sampling by grab drilling	28
6.2.7 Soil sampling by small diameter drilling	29
6.2.8 Sampling by resonance drilling	29
6.3 Sampling using samplers	29
6.3.1 General	29
6.3.2 Sampling using the open-tube sampler and the piston sampler	33
6.3.3 Sampling using the standard penetration test sampler	38
6.3.4 Sampling by using the window sampler	38

6.3.5	Sampling using the windowless sampler	38
6.4	Block sampling	38
6.4.1	Sampling from trial pits	38
6.4.2	Sampling using large samplers	39
7	Rock sampling methods	39
7.1	General	39
7.2	Sampling by drilling	43
7.2.1	General	43
7.2.2	Sampling by rotary dry core drilling	43
7.2.3	Sampling by rotary core drilling	43
7.2.4	Sampling by wireline core drilling	44
7.2.5	Sampling of cuttings by rotary open hole drilling	44
7.3	Block sampling	44
8	Groundwater sampling methods for geotechnical purposes	44
8.1	General	44
8.2	Equipment	45
8.3	Techniques of groundwater sampling	45
8.3.1	General	45
8.3.2	Extraction by pumping	45
8.3.3	Extraction by water sampler	46
8.3.4	Extraction by vacuum bottles	46
9	Preservation, labelling, transport and storage of samples	46
9.1	General	46
9.2	Preservation of samples	46
9.3	Labelling of samples	47
9.4	Transport and storage of samples	48
9.4.1	General considerations	48
9.4.2	Sampling category A	48
9.4.3	Sampling category B to E	49
9.4.4	Transport of water samples	49
10	Report	50
10.1	Field report	50
10.1.1	General	50
10.1.2	Summary log	50
10.1.3	Drilling record	51
10.1.4	Sampling record	51
10.1.5	Record of identification and description of soil and rock	52
10.1.6	Backfilling record	53
10.1.7	Record of groundwater measurements during drilling and sampling	53
10.1.8	Daily record	53
10.2	Report of the results	53
Annex A (informative) Example of a form for the preliminary information on the intended sampling		55
Annex B (informative) Field reports		57
Annex C (informative) Drilling and sampling equipment for soil and rock		65
Annex D (informative) Examples of commonly used samplers and sample types		127
Annex E (informative) Vacuum bottles for groundwater sampling		130
Annex F (informative) Sealing and securing samples		132
Annex G (informative) Sampling of coarse soils by drilling		133
Annex H (informative) Sample quality		134
Bibliography		141

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 182, *Geotechnics*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 341, *Geotechnical Investigation and Testing*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 22475-1:2006), which has been technically revised.

The main changes compared to the previous edition are as follows:

- clauses on groundwater measurement will be part of ISO 18674-4;
- new sampling categories for soils have been added;
- editorial updates have been made.

A list of all parts in the ISO 22475 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Geotechnical investigation and testing — Sampling methods and groundwater measurements —

Part 1: Technical principles for the sampling of soil, rock and groundwater

1 Scope

This document deals with principles of sampling of soil, rock and groundwater as part of the programme of geotechnical investigation and testing.

NOTE 1 This document fulfils the requirements for sampling of soil, rock and groundwater, and groundwater measurements as part of the programme of geotechnical investigation and testing according to EN 1997-1 and EN 1997-2.

The aims of such ground investigations are:

- a) to recover soil, rock and water samples of a quality appropriate to assess the general suitability of a site for geotechnical engineering purposes and to determine the required ground characteristics in the laboratory;
- b) to obtain information on the sequence, thickness and orientation of strata and discontinuities;
- c) to establish the type, composition and condition of strata;
- d) to obtain information on groundwater conditions and recover water samples for assessment of the interaction of groundwater, soil, rock and construction material.

Soil sampling for the purposes of agricultural and environmental soil investigation is not covered.

NOTE 2 Guidance on soil sampling for these purposes including of contaminated or potentially contaminated sites is provided in the ISO 18400 series. ISO 18400-204 provides in addition guidance on sampling and measurement of soil (ground) gas.

NOTE 3 The sampling methods, presented in this document may not be suitable for all types of soil e.g. peat with strong fibrous structure.

NOTE 4 Some of the sampling methods presented in this document are suitable for both soil and rock.

Water sampling for the purposes of quality control, quality characterisation and identification of sources of pollution of water, including bottom deposits and sludges, is not covered.

NOTE 5 Water sampling for these purposes can be found in the ISO 5667 series.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14688-1, *Geotechnical investigation and testing — Identification and classification of soil — Part 1: Identification and description*

ISO 14689, *Geotechnical investigation and testing — Identification, description and classification of rock*

ISO 3551-1, *Rotary core diamond drilling equipment — System A — Part 1: Metric units*

ISO 3552-1, *Rotary core diamond drilling equipment — System B — Part 1: Metric units*

ISO 10097-1, *Wireline diamond core drilling equipment — System A — Part 1: Metric units*

ISO/IEC Guide 98-3, *Uncertainty of measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

ISO/IEC Guide 98-3:2008/Suppl 1:2008, *Uncertainty of measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995) — Supplement 1: Propagation of distributions using a Monte Carlo method*

ISO/IEC Guide 98-1, *Uncertainty of measurement — Part 1: Introduction to the expression of uncertainty in measurement*

3 Terms, definitions and abbreviated terms

For the purposes of this document, the terms and definitions given in ISO 14688-1, ISO 14689 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1 Ground investigation methods

3.1.1

trial pit

open excavation constructed to examine the ground conditions in-situ, recover *samples* (3.3.4) or carry out field testing

3.1.2

shaft

open or steeply inclined excavation, typically more than 5 m deep, constructed to examine the ground conditions in-situ, recover *samples* (3.3.4) or carry out field testing

3.1.3

heading

adit

small tunnel driven horizontally or with a slight inclination from a *shaft* (3.1.2) or into sloping ground to examine the ground conditions in-situ, recover *samples* (3.3.4) or carry out field testing

3.1.4

borehole

hole of any predetermined diameter and length formed in any geological formation or manmade material by *drilling* (3.1.5)

Note 1 to entry: Investigations carried out in such a hole can be to recover rock, soil or water *samples* (3.3.4) from a specified depth or to carry out field tests and measurements.

3.1.5

drilling

process by which a *borehole* (3.1.4) is produced in any geological formation by rotary, rotary percussive, percussive, resonance/sonic or thrust methods and in any predetermined direction in relation to the *drill rig* (3.2.3)

3.1.6**small diameter drilling**

drilling (3.1.5) in the soil with a diameter greater than 30 mm but less than 80 mm

3.1.7**drilling method**

technique employed to create and stabilise the *borehole* (3.1.4)

3.2 Drilling rigs and equipment**3.2.1****drilling tool**

device, which is attached to, or an integral part of, the drill string that is used for penetrating the geological formation as a cutting tool

3.2.2**drill bit**

device, which is attached to, or an integral part of, the drill string that is used as a cutting tool to penetrate the formation being drilled by the *drilling method* (3.1.7) employed

3.2.3**drill rig**

device which carries out the *drilling* (3.1.5) function

3.2.4**casing**

tubing temporarily or permanently inserted into a *borehole* (3.1.4)

Note 1 to entry: It is used e.g. to stabilise it, to prevent the loss of *flushing medium* (3.2.5) to the surrounding formation or to prevent cross flow between different groundwater horizons.

3.2.5**flushing medium**

liquid or gaseous medium to remove *cuttings* (3.3.10) from the *borehole* (3.1.4), to aid sampling and to lubricate and cool the *drilling tool* (3.2.1)

3.2.6**additive**

substance added to the *flushing medium* (3.2.5) in order to affect or change its properties to improve its functioning and can include *borehole* (3.1.4) stabilization

3.2.7**core lifter**

split, internally slotted or serrated conical spring steel ring fitted to the core barrel to hold and retain the *core sample* (3.3.8) whilst the core barrel is being hoisted from the *borehole* (3.1.4)

3.2.8**sample retainer**

cylindrical device containing flexible spring fingers, hinged wedged-shaped fingers or a hinged flap mounted in a carrier ring and mounted at the lower end of the sampler tube and used to retain the *sample* (3.3.4) in the tube as the sampler is being lifted from the ground

3.3 Sampling

3.3.1

sampling by drilling continuous sampling

process by which *samples* (3.3.4) are obtained by the *drilling tools* (3.2.1) as the *borehole* (3.1.4) proceeds

Note 1 to entry: The *drilling* (3.1.5) process is designed to obtain complete samples of the length of the borehole. The drilling tools are used as sampling tools.

3.3.2

sampling using sampler

process by which *samples* (3.3.4) are obtained by samplers from *trial pits* (3.1.1), *headings* (3.1.3), *shafts* (3.1.2) or *boreholes* (3.1.4) at selected positions

3.3.3

soil sampling by small diameter drilling

sampling by drilling (3.3.1) in soils using *drilling tools* (3.2.1) with a diameter greater than 30 mm but less than 80 mm

3.3.4

sample

representative specimen of rock, soil or groundwater recovered from a recorded location

3.3.5

sampling method

set of equipment and procedures employed in a sampling operation

3.3.6

sampling category

sampling methods (3.3.5) to enable a certain quality of soil or rock *samples* (3.3.4) to be obtained

3.3.7

sampling disturbance

changes to the sample due to the sampling operation

Note 1 to entry: These changes can be of physical, chemical and/or state properties of the sampled material.

3.3.8

core

core sample

cylindrical *sample* (3.3.4) of soil or rock obtained from a *borehole* (3.1.4)

3.3.9

block sample

sample (3.3.4) of soil or rock cut out by special techniques to minimise disturbance

3.3.10

cuttings

particles of geological formations formed in the *borehole* (3.1.4) by the cutting action of the *drilling tool* (3.2.1) and carried to the surface by the *flushing medium* (3.2.5) or by an appropriate device

3.3.11

suspended matter

abraded ground material in the *flushing medium* (3.2.5) generated by *drilling* (3.1.5), in which the individual particle size cannot be recognised with the naked eye

3.3.12

core run

length of core sampling in an exploratory hole defined by the start and end depths (or other linear measurement) of the sampling tool