

# TECHNICAL REPORT

**ISO**  
**TR 14177**

First edition  
1994-07-01

---

## **Classification of information in the construction industry**

*Classification de l'information dans l'industrie de la construction*



Reference number  
ISO/TR 14177:1994(E)

Contents	Page
1 The purpose of this Report .....	1
2 The construction process, its agents and documents .....	2
3 Construction information: A dynamic view .....	8
4 Requirements for a classification system .....	17
5 Proposed classification classes and tables .....	19
6 International standardisation .....	25
7 Use of the classification tables .....	30
 <b>General appendices</b> .....	 33
A1 Definitions of terms .....	34
A2 Construction information models .....	38
A3 Authorship and maintenance of the tables .....	49
 <b>Classification table appendices</b> .....	 51
B1 Facilities and spaces .....	52
B2 Elements .....	59
B3 Work sections .....	64
B4 Construction products .....	67
B5 Management .....	69
B6 Attributes .....	70

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The main task of technical committees is to prepare International Standards, but in exceptional circumstances a technical committee may propose the publication of a Technical Report of one of the following types:

- type 1, when the required support cannot be obtained for the publication of an International Standard, despite repeated efforts;
- type 2, when the subject is still under technical development or where for any other reason there is the future but not immediate possibility of an agreement on an International Standard;
- type 3, when a technical committee has collected data of a different kind from that which is normally published as an International Standard ("state of the art", for example).

Technical Reports of types 1 and 2 are subject to review within three years of publication, to decide whether they can be transformed into International Standards. Technical Reports of type 3 do not necessarily have to be reviewed until the data they provide are considered to be no longer valid or useful.

ISO/TR 14177, which is a Technical Report of type 2, was prepared by Technical Committee ISO/TC 59, *Building construction*, Subcommittee SC 13, *Organization of information in the processes of design, manufacture and construction*.

This Technical Report derives from many years of development work, initially in CIB Commission W74 and, since 1988, in Subcommittee 2 of ISO/TC 59/SC 13. The topic is still under technical development, hence the publication of this document as an ISO Technical Report rather than an ISO Standard.

This document is being issued in the type 2 Technical Report series of publications (according to subclause G.4.2.2 of part 1 of the ISO/IEC Directives, 1992) as a "prospective standard for provisional application" in the field of classification of information in the construction industry because there is an urgent need for guidance on how standards in this field should be used to meet an identified need.

This document is not to be regarded as an "International Standard". It is proposed for provisional application so that information and experience of its use in practice may be gathered. Comments on the content of this document should be sent to the ISO Central Secretariat.

A review of this type 2 Technical Report will be carried out not later than three years after its publication with the options of: extension for another three years; conversion into an International Standard; or withdrawal.

The expected conversion into an International Standard will involve revision in the light of a vigorous programme of work on international classification tables. Sections 6 and 7 will need to be rewritten and most of the Appendices will be omitted, it being expected that by then most of the projected international classification tables will be published or approaching publication.

# Classification of information in the construction industry

## 1 THE PURPOSE OF THIS REPORT

There has never been a greater need for effective communication tools in the construction industry. Major factors motivating this statement are:

- Information becomes increasingly important as we move towards an information society. The computer gives possibilities to communicate and use more efficiently the vast amounts of information which are used and created in a project during design, site production, operation and maintenance. Losses of meaning may be minimized and everyone may be provided with the information he needs to fulfill his task. However, efficient use of computers requires a 'common language' of well designed classification and coding systems with clearly defined rules for structuring product models, databases and documents in a unified way.
- The increase in international trade of construction products, consultancy services and construction services makes internationally accepted principles for communication more important.
- The increasing attention being given to management of the use phase of facilities, including operation and maintenance, has increased the need for classification systems which may be used throughout the total construction process, from inception to demolition.

The primary purpose of this Report is to provide the basis for an improved information flow during the creation and use of facilities, and to give guidelines for organizing industry information. The recommendations are aimed at improving the information flow within particular countries and also from country to country.

The Report is intended to be read in conjunction with a series of Standards, each of which will define (defines) a recommended international classification table. Examples of such tables are Facilities, Spaces, Elements, Construction products and Attributes. The Report defines the underlying philosophy behind the tables, the relationships between them and the way in which, together, they will be (are) an integrated whole, a well co-ordinated and wide ranging classification system to serve the needs of the International Construction Industry for the foreseeable future.

## 2 THE CONSTRUCTION PROCESS, ITS AGENTS AND DOCUMENTS

### 2.1 The construction process

This Report is concerned with the complete lifespan of construction facilities (e.g. houses, hospitals, roads, bridges, dams, utility services) from the client's first thoughts through to demolition, including design, production, operation and maintenance. For the sake of simplicity this complete lifespan is referred to as the construction process, which may be roughly subdivided into **creation**, **use** and **decommissioning** – see Figure 1.

CREATION			USE	DECOMMISSIONING
INCEPTION	DESIGN	PRODUCTION		
Example activities:	Example activities:	Example activities:	Example activities:	Example activities:
Assess suitability of site	Environmental and space design	Production planning	Facilities management	Demolition
Assess financial viability	Constructional design	Product supply	Facilities operation	Environmental + safety management
Formulate design brief		Construction/ installation	Facilities maintenance	
		Time/cost/ quality management		
Normally less than 1 year	Approximately 1–5 years	Approx 1–5 years	Up to 100 years	Normally less than 1 year

Figure 1 The phases of the construction process

The construction process is long. There are normally at least 50 years between the birth of a project idea and the remodelling or decommissioning of the typical facility. During this time a massive flow of information takes place. Hundreds of persons from different organisations and with different tasks exchange and store thousands of facts in connection with the inception, design, production, maintenance and decommissioning phases of the construction process.

It may also be observed that large amounts of economic and physical resources are used during the construction process – **resources** are transformed into **results by activities**. Thus both physical and information flows take place.

The construction process is described above as for a new facility, but it can be considered equally for the alteration or renovation of an existing facility. Many facilities undergo major changes at least once during their lives, either to make them suitable for a change of use or to upgrade their quality and level of performance. When this happens there is an inception phase, a design phase and a production phase before the commencement of a new, different use phase for the facility. The original facility can be thought of as the 'site' for the alteration/renovation project.

## 2.2 The agents of the construction process

The activities in the construction process are controlled and executed by persons with distinct roles. These persons are usually called the **agents** of the construction process. In every construction project a particular combination of agents participates, having to communicate with each other and with persons less directly involved in the project.

Traditionally, the 'agents' have been thought of as the organisations of the construction industry. The changing pattern of procurement and changes in the structure and operations of contracting organizations mean that the concept of agent – he/she who acts in the process – must be redefined. The sum total of each construction process – inception, design, production, use, demolition – is the same regardless of what kind of organisational pattern is involved. Each process can be broken down into the activities which must be performed to advance the project. In classification analysis the process is primary; the activity – not the person – is important. The new definition of agent is therefore **the person who is responsible for the process or activity**.

Thus in principle the roles of the agents are not affected by the organisational form for carrying out a particular project (turnkey project, early tendering, traditional tendering with a main contractor, separate trades contracting, management contracting, etc). Similarly, the information needs of the agents are not influenced by the organisational pattern of a particular project, e.g. whether the design team is working for the client or the contractor. The organisational pattern may influence the ease of obtaining certain types of information, but that is a quite different consideration.

Here is a listing of the most important agents and a description of their roles in the construction process:

- The **client** must define his requirements based on users' needs for space, facilities and environmental conditions.
- The **design team** (architect, civil engineer, structural engineer, mechanical engineer, electrical engineer, landscape architect, acoustical consultant, quantity surveyor, etc) designs the building or other facility including the structural system, services and electrical installations, etc. They also carry out associated activities such as obtaining statutory approvals, calculating quantities of work and products, making cost calculations and monitoring the on site production.
- The **developer** and/or **quantity surveyor** undertake investment appraisal.
- The **contractor's estimator** assesses the cost of using various types of resources and of managing the construction in order to prepare tenders.
- The **constructors** plan how the project is to be constructed, requisition the resources and carry out the site production.
- The **property manager** is responsible for operation and maintenance of the facility.
- The **manufacturers** produce and supply, either directly or through dealers and stockists, the construction products as well as the working aids used in the project.
- The **stockists/suppliers/distributors** (general agents, wholesale and retail stockists) supply and distribute construction products.
- **Machinery and construction plant lending firms** provide equipment to the site.
- **Authorities** (supra-national, national, regional, local), **information centres, institutions** and **standardisation bodies** produce and distribute regulations and other information about buildings and other facilities and their use.
- **Financing institutes** (banks and other money lending institutes, administrators of state subsidised loans) provide the necessary finance.

### 2.3 Human interfaces in the construction process

The following takes place many times in the construction process:

Person A (**the information sender**) who works on a project is about to transfer his knowledge about something to person B (**the information receiver**) who is working on the same project. The communication is carried out with the help of **signals** via **media**, e.g. drawings, written documents, electronic files or telephone lines. Person B must receive the signals and completely understand the information before he has the same knowledge as person A. See Figure 2.