INTERNATIONAL STANDARD



Second edition 1998-12-01

Bases for design of structures — Determination of snow loads on roofs

Bases du calcul des constructions — Détermination de la charge de neige sur les toitures



Reference number ISO 4355:1998(E)

This is a preview. Click here to purchase the full publication.

Contents

1	Scope		1
2	Definitions		1
3	Snow load on roofs		3
	3.1	General function describing intensity and distribution of the snow load on roofs	3
	3.2	Approximate formats for the determination of the snow load on roofs	3
	3.3	Partial loading due to melting, sliding, snow redistribution and snow removal	3
4	Cha	Characteristic snow load on the ground	
5	Snow load coefficients		4
	5.1	Exposure coefficient	4
	5.2	Thermal coefficient	4
	5.3	Surface material coefficient	4
	5.4	Shape coefficients	5
Annexes			
Α	Meth the g	thods for determination of the characteristic snow load on ground	
В	Dete	etermination of the exposure coefficient	
С	Shap	Shape coefficients for multilevel roofs	
D	Thermal coefficient		25
Е	Roof snow fences		28
F	Bibliography		30

© ISO 1998

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization Case postale 56 • CH-1211 Genève 20 • Switzerland Internet iso@iso.ch

Printed in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and nongovernmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 4355 was prepared by Technical Committee ISO/TC 98, *Bases for design of structures*, Subcommittee SC 3, *Loads, forces and other actions.*

This second edition cancels and replaces the first edition (ISO 4355:1981), which has been technically revised.

The first edition was based on knowledge available up to 1977.

Snow loads specified in the first edition were mainly based on a wide range of experience and national standards. Consequently, the specified snow loads in some cases were rather high in order to be on the safe side. In this second edition, later investigations (e.g. field measurements, physical, theoretical and statistical analyses) have also been taken into account in order to improve the level of accuracy and to extend the domain of standardized specifications of snow loads.

Although this second edition has more detailed specifications, there is still a need for judgement by experts in practical snow load design as the database is still very limited for many types of roof.

In national design standards for loads, load coefficients are normally used to take into account the uncertainty in calculated design load values.

Annexes A to F of this International Standard are for information only.

Introduction

The intensity and distribution of snow load on roofs may be described as functions of climate, topography, shape of building, roof surface material, heat flow through the roof, and time. Only limited and local data describing some of these functions are available. Consequently, for this International Standard it was decided to treat the problem in a semi-probabilistic way.

The characteristic snow load on a roof area, or any other area above ground which is subject to snow accumulation, is in this International Standard defined as the product of the characteristic snow load on the ground, s_0 , specified for the region considered, and a shape coefficient μ which is defined as a product function, in which the various physical parameters are introduced as nominal coefficients.

The shape coefficients will depend on climate, especially the duration of the snow season, wind, local topography, geometry of the building and surrounding buildings, roof surface material, building insulation, etc. The snow may be redistributed as a result of wind action; melted water may flow into local areas and refreeze; snow may slide or may be removed.

The format for the snow load on roofs presented in this International Standard contains a number of additional parameters as compared with the first edition (in which such additional parameters were discussed in the text) for the designer to decide upon. In essence, however, the general format has not been changed. The effect of exposure may, with the new format, be treated in a more elaborate way than earlier. A variation with the slope of the roof is introduced in order to improve the physical representation and to make the format easily applicable to computer interpretation.

In order to apply this International Standard, each country will have to establish maps and/or other information concerning the geographical distribution of ground snow load in that country. Procedures for a statistical treatment of meteorological data are described in annex A.