



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS A 5541 : 2008

(JSSC/JSA)

Body of turnbuckle for building

ICS 91.060.99; 91.080.10

Reference number : JIS A 5541 : 2008 (E)

Date of Establishment: 1971-04-01

Date of Revision: 2008-10-20

Date of Public Notice in Official Gazette: 2008-10-20

Investigated by: Japanese Industrial Standards Committee
Standards Board
Technical Committee on Architecture

JIS A 5541 :2008, First English edition published in 2009-02

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

KA/AT

Contents

	Page
1 Scope	1
2 Normative references	1
3 Classification and symbol	1
4 Performance	2
4.1 Tensile strength	2
4.2 Permanent deformation	2
5 Shape, dimensions, mass and their tolerances and classification of screw thread	3
5.1 Shape, dimensions, mass and their tolerances	3
5.2 Classification of screw thread	3
6 Appearance	5
7 Materials	5
8 Manufacture method	6
9 Test method	6
9.1 Measurement of shape, dimension and mass	6
9.2 Measurement of precision of threads	7
9.3 Tensile strength	7
9.4 Permanent deformation	7
10 Inspection	7
10.1 Shape, dimensions and mass	7
10.2 Precision of threads	7
10.3 Appearance	7
10.4 Tensile strength	7
10.5 Permanent deformation	7
11 Treatment and packaging of thread parts	7
11.1 Treatment of thread parts	7
11.2 Packaging	8
12 Designation of products	8
13 Marking	8
13.1 Marking on package	8
13.2 Marking on products	8
14 Report	8