

STANDARD

Translated and Published by Japanese Standards Association

JIS A 6901 : 2014 (GBAJ/JSA) Gypsum boards

ICS 91.100.10 Reference number : JIS A 6901 : 2014 (E)

A 6901 : 2014

Date of Establishment: 1951-12-19 Date of Revision: 2014-12-22 Date of Public Notice in Official Gazette: 2014-12-22 Investigated by: Japanese Industrial Standards Committee Standards Board for ISO area Technical Committee on Architecture

JIS A 6901 : 2014, First English edition published in 2015-11

Translated and published by: Japanese Standards Association Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

> In the event of any doubts arising as to the contents, the original JIS is to be the final authority.

© JSA 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

KK/HN

Contents

Page

1	Scope1		
2	Normative references · · · · · · 1		
3	General ·····1		
4	Classification ·····2		
$5 \\ 5.1 \\ 5.2$	Quality 4 Appearance 4 Performance 4		
6	Shape, dimensions, mass per unit area, specific gravity and dimensional		
$6.1 \\ 6.2 \\ 6.3$	tolerances8Shape8Dimensions, mass per unit area and specific gravity9Dimensional tolerances12		
7	Tests ·····12		
7.1	Test items ····································		
7.Z	Test pieces		
7.4	Measurement of water content		
7.5	Breaking load test		
7.6	Test of peeling resistance at water absorption		
7.7	Water absorbing property test		
7.8	Test of resistance to change in colour ······22		
7.9	Impact resistance test ······22		
7.10	Flame resistance test ······23		
7.11	Incombustibility test or heat generation property test		
7.12	Heat resistance test ·································		
7.13	Lateral nail resistance test		
7.14	Humidity control performance test		
8	Inspection ······25		
9	Marking ······26		
Annex A (normative) Test method and evaluation of heat generation property			
Annex B (informative) Comparison table between previous and current			
	editions of this Standard on technically significant revisions		

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry, through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by Gypsum Board Association of Japan (GBAJ)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14. Consequently **JIS A 6901**:2009 is replaced with this Standard.

However, **JIS A 6901**: 2009 may be applied in the **JIS** mark certification based on the relevant provisions of Article 19 Clause 1, etc. of the Industrial Standardization Law until September 21, 2015.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

Gypsum boards

1 Scope

This Japanese Industrial Standard specifies the gypsum board products (hereafter referred to as "GB") used as the base and finishing material mainly for walls and ceilings of a building.

GB, for the purpose of this Standard, is a board composed of a core made of gypsum, which is a main material of the product, and a gypsum board lining paper covering both faces and longitudinal (direction of flow in moulding) edge of the gypsum core.

Sound absorbing perforated gypsum boards (GB-P) are covered in JIS A 6301.

NOTE: The comparison table between previous and current editions of this Standard on technically significant revisions is given in Annex B.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard.

JIS A 1321	<i>Testing method for incombustibility of internal finish material and procedure of buildings</i>
JIS A 1408	Test methods of bending and impact for building boards
JIS A 1412-2	<i>Test method for thermal resistance and related properties of ther- mal insulations — Part 2 : Heat flow meter apparatus</i>
JIS A 1420	Determination of steady-state thermal transmission properties — Hot box method
JIS A 6301	Sound absorbing materials
JIS B 7512	Steel tape measures
JIS B 7516	Metal rules
JIS C 1602	Thermocouples
JIS C 1605	Mineral insulated thermocouples
JIS K 7102	Testing method for colour fastness of plastics upon exposure to light of the carbon arc
JIS L 0804	Grey scale for assessing change in colour

3 General

GB is specified by the classification, size, thickness and edge profile selected according to its application. GB is used, for example, for base and finishing material of walls and ceilings in a building, and as composition material of fire protective, semi-fireproof,