UDC 69.028.1/.2:69.014.7:669.715

JAPANESE INDUSTRIAL STANDARD

Screens for Aluminium Sliding Windows

(J) JIS A 4709-1984

Translated and Published

by

Japanese Standards Association

JIS A*4709 84 **=** 4933608 0001609 5

Translation without guarantee In the event of any doubt arising, the original standard in Japanese is to be evidence

I 0.61.000 80.6ECP ■ 48 PO74*A ZIU

UDC 69.028.1/.2:69.014.7:669.715



JAPANESE INDUSTRIAL STANDARD

JIS

Screens for Aluminium Sliding Windows

A 4709-1984

1. Scope

This Japanese Industrial Standard specifies the aluminium alloy screens, hereinafter referred to as the "screens", to be attached to aluminium alloy window sashes which are corresponding to sliding in classification according to opening and closing methods, hereinafter referred to as the "sashes", mainly among the aluminium alloy sashes specified in JIS A 4706.

Remark: The units and numerical values given in { } in this standard are in accordance with the International System of Units (SI), and are appended for reference.

2. Types and Symbols

The types and symbols of the screens shall be in accordance with (1) and (2).

(1) Classification according to methods of use shall be as given in Table 1 and Attached Figs. 1 to 5.

Applicable Standards:

JIS A 4706-Steel and Aluminium Sliding Windows and Doors

JIS G 4309-Stainless Steel Wires

JIS H 4001-Painted Aluminium and Aluminium Alloy Sheets and Strips

JIS H 4100-Aluminium and Aluminium Alloy Extruded Shapes

JIS H 6102-Non-ferrous Metal Wire Cloth

JIS H 8602-Coatings Combined with Anodic Oxidation and Organic Finishing on Aluminium and Aluminium Alloys

This is a preview. Click here to purchase the full publication.