



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS A 5031 : 2016

**Melt-solidified slag aggregate for
concrete derived from municipal
solid waste and sewage sludge**

ICS 91.100.30

Reference number : JIS A 5031 : 2016 (E)

Date of Establishment: 2006-07-20

Date of Revision: 2016-10-20

Date of Public Notice in Official Gazette: 2016-10-20

Investigated by: Japanese Industrial Standards Committee
Standards Board for ISO area
Technical Committee on Civil Engineering

JIS A 5031:2016, First English edition published in 2017-08

Translated and published by: Japanese Standards Association
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2017

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

KK/AT

Contents

	Page
Introduction.....	1
1 Scope.....	1
2 Normative references	2
3 Terms and definitions	3
4 Classification, division and designation	5
4.1 Classification	5
4.2 Division according to grain size	5
4.3 Division according to alkali-silica reactivity	6
4.4 Designation of products	6
5 Quality	6
5.1 General	6
5.2 Chemical composition and physical properties	6
5.3 Alkali-silica reactivity.....	7
5.4 Grain size and fineness modulus	7
5.5 Expansibility	8
5.6 Popout	9
5.7 Environmentally sound quality criteria	9
6 Test methods	9
6.1 Sampling and reduction of sample	9
6.2 Chemical analysis	9
6.3 Test of density in oven-dry condition and water absorption test	9
6.4 Stability test	9
6.5 Test of percentage of absolute volume in grain size determination	9
6.6 Test of content of particulates	10
6.7 Alkali-silica reactivity test	10
6.8 Grain size test	10
6.9 Expansibility test	10
6.10 Popout test.....	10
6.11 Environmentally sound quality tests	10
7 Inspection.....	11
7.1 Lot management of molten slag aggregate.....	11
7.2 Inspection on chemical composition, physical properties, alkali-silica reactivity, grain size, fineness modulus, expansibility and popout	11
7.3 Inspection on environmentally sound quality	11
7.4 Storage of inspection data	13

8	Marking	13
9	Report	13
Annex A (normative)	Test method for expansion coefficient of mortar using molten slag aggregate	18
Annex B (normative)	Analysis of metallic iron in molten slag aggregate	21
Annex C (normative)	Popout test using molten slag aggregate in mortar specimen	24
Annex D (informative)	Measurement of soluble Ca contained in molten slag aggregate	27
Annex E (normative)	Environmentally sound quality test method of molten slag aggregate	30
Annex F (informative)	Comparison table between previous and current editions of this Standard on technically significant revisions	35

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry, through deliberations at the Japanese Industrial Standards Committee in accordance with the Industrial Standardization Law. Consequently **JIS A 5031**:2010 is replaced with this Standard.

However, **JIS A 5031**:2010 may be applied in the **JIS** mark certification based on the relevant provisions of Article 19 Clause 1, etc. of the Industrial Standardization Law until October 19, 2017.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.