



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS A 5015 : 2013

(NSA)

**Iron and steel slag for road
construction**

ICS 91.100.15;93.080.20

Reference number : JIS A 5015 : 2013 (E)

Date of Establishment: 1979-11-01

Date of Revision: 2013-03-21

Date of Public Notice in Official Gazette: 2013-03-21

Investigated by: Japanese Industrial Standards Committee
Standards Board
Technical Committee on Civil Engineering

JIS A 5015:2013, First English edition published in 2014-08

Translated and published by: Japanese Standards Association
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

KK/AT

Contents

	Page
Introduction.....	1
1 Scope.....	1
2 Normative references	1
3 Terms and definitions	2
4 Classification and designation.....	4
5 Quality	4
5.1 General matters	4
5.2 Physical/chemical properties and grading of hydraulic and mechanically stabilized slag, mechanically stabilized slag and crusher run slag.....	4
5.3 Physical/chemical properties and grading of single-sized steel slag	6
5.4 Physical/chemical properties and grading of crusher run steel slag.....	6
5.5 Environmentally sound quality standard of iron and steel slag for road construction	7
6 Aging	8
6.1 Steelmaking slag used for hydraulic and mechanically stabilized slag, mechanically stabilized slag and crusher run slag	8
6.2 Steelmaking slag used for single-sized steel slag and crusher run steel slag	8
7 Test method.....	8
7.1 Sampling method.....	8
7.2 Colouration judgement test.....	8
7.3 Immersion expansion test	8
7.4 Bulk density test	8
7.5 Unconfined compression strength test	8
7.6 Density in saturated surface-dry condition and water absorption test	8
7.7 Abrasion loss test	9
7.8 Grading test	9
7.9 Environmentally sound quality test	9
8 Inspection	9
8.1 Inspection items.....	9
8.2 Inspection method	10
8.3 Management of production lot.....	12
8.4 Size of inspection lot	12
8.5 Frequency of inspection	12
8.6 Storage of inspection data.....	13

9	Marking.....	13
10	Report.....	13
Annex A (normative)	Test method of colouration judgement for iron and steel slag for road construction	22
Annex B (normative)	Immersion expansion test method of iron and steel slag for road construction	24
Annex C (normative)	Test method of unconfined compression on iron and steel slag for road construction	29
Annex D (normative)	Environmentally sound quality test method of iron and steel slag for road construction	32
Annex E (informative)	Production method of hot laid asphalt mix compact and bituminous stabilization compact	37
Annex F (informative)	Comparison table between previous and current editions of this Standard on technically significant revisions	40

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by Nippon Slag Association (NSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14. Consequently, **JIS A 5015**:2008 is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.