

Translated and Published by Japanese Standards Association

JIS A 5031 : 2006

Melt-solidified slag aggregate for concrete derived from municipal solid waste and sewage sludge

ICS 91.100.30

Reference number: JIS A 5031:2006 (E)

A 5031:2006

Foreword

This translation has been made based on the original Japanese Industrial Standard established by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee in accordance with the Industrial Standardization Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with a patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have technical properties. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying the patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have the said technical properties.

Date of Establishment: 2006-07-20

Date of Public Notice in Official Gazette: 2006-07-20

Investigated by: Japanese Industrial Standards Committee

Standards Board

Technical Committee on Civil Engineering

JIS A 5031:2006, First English edition published in 2007-04

Translated and published by: Japanese Standards Association 4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents, the original JIS is to be the final authority.

© ISA 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

SI/AT

Contents

		Page
Intro	oduction	1
1	Scope	1
2	Normative references	2
3	Classification, division and designation	2
3.1	Classification	2
3.2	Division according to grain size	3
3.3	Division according to alkali-silica reactivity	3
3.4	Designation	4
4	Quality	4
4.1	General	4
4.2	Leaching amount and acid extractable content of harmful material	4
4.3	Chemical component	5
4.4	Expansibility	5
4.5	Physical properties	5
4.6	Alkali-silica reactivity	6
4.7	Grain size and fineness modulus	6
5	Test method	7
5.1	Taking of sample	7
5.2	Test for leaching amount	7
5.3	Test for acid extractable content	7
5.4	Chemical analysis test and chloride amount test	7
5.5	Tests for density in oven-dry condition and water absorption	7
5.6	Stability test	7
5.7	Test for solid volume percentage for shape determination	7
5.8	Test for content of materials finer than 75 µm sieve	7
5.9	Alkali-silica reactivity test	7
5.10	Grain size test	8