



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS A 5021 : 2011

(JCI)

Recycled aggregate for concrete-class H

ICS 91.100.30

Reference number : JIS A 5021 : 2011 (E)

This is a preview. [Click here to purchase the full publication.](#)

A 5021 : 2011

Date of Establishment: 2005-03-20

Date of Revision: 2011-05-20

Date of Public Notice in Official Gazette: 2011-05-20

Investigated by: Japanese Industrial Standards Committee
Standards Board

Technical Committee on Civil Engineering

JIS A 5021 : 2011, First English edition published in 2013-05

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

NH/HN

This is a preview. [Click here to purchase the full publication.](#)

Contents

| | Page |
|---|------|
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 2 |
| 4 Classification, division and designation | 2 |
| 4.1 Classification | 2 |
| 4.2 Division according to grain size | 2 |
| 4.3 Division according to alkali-silica reactivity | 3 |
| 4.4 Designation | 3 |
| 5 Quality | 3 |
| 5.1 Amount of impurities | 3 |
| 5.2 Physical properties | 4 |
| 5.3 Alkali-silica reactivity | 4 |
| 5.4 Grain size | 5 |
| 5.5 Grain shape | 6 |
| 5.6 Chloride content | 7 |
| 6 Manufacture | 7 |
| 7 Test method | 7 |
| 7.1 Sampling of specimen | 7 |
| 7.2 Test of amount of impurities | 8 |
| 7.3 Test of aluminium pieces and zinc pieces | 8 |
| 7.4 Test of density in oven-dry condition and percentage of water absorption | 8 |
| 7.5 Abrasion test | 8 |
| 7.6 Test of content of materials finer than 75 µm sieve | 8 |
| 7.7 Test of alkali-silica reactivity | 8 |
| 7.8 Grain size test | 9 |
| 7.9 Test of solid volume percentage for shape determination | 9 |
| 7.10 Test of chloride content | 9 |
| 8 Inspection | 9 |
| 8.1 Inspection method | 9 |
| 8.2 Preservation of inspection data | 10 |
| 9 Marking | 10 |
| 10 Report | 11 |
| Annex A (normative) Identification of original aggregate | 14 |

| | | |
|-----------------------|---|----|
| Annex B (normative) | Test method for impurities of recycled aggregate H by means of boundary sample | 15 |
| Annex C (normative) | Testing method of judgement for harmful amount of aluminium pieces and zinc pieces contained in recycled aggregate for concrete-class H | 17 |
| Annex D (normative) | Test method for alkali-silica reactivity of recycled aggregate for concrete-class H (recycled aggregate rapid method) | 19 |
| Annex E (informative) | Comparison table between current and previous editions of this Standard on technically significant revisions | 24 |