

Translated and Published by Japanese Standards Association

 $JIS\ A\ 5032^{\,:\,2006}$ 

(JSIM)

Melt-solidified slag material for road construction derived from municipal solid waste and sewage sludge

ICS 93.080.20

Reference number : JIS A 5032:2006 (E)

A 5032:2006

## Foreword

This translation has been made based on the original Japanese Industrial Standard established by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee according to the proposal of establishing a Japanese Industrial Standard from The Japan Society of Industrial Machinery Manufacturers (JSIM), with a draft of Industrial Standard based on the provision of Article 12 Clause 1 of the Industrial Standardization Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with a patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have technical properties. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying the patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have the said technical properties.

Date of Establishment: 2006-07-20

Date of Public Notice in Official Gazette: 2006-07-20

Investigated by: Japanese Industrial Standards Committee

Standards Board

Technical Committee on Civil Engineering

JIS A 5032:2006, First English edition published in 2007-04

Translated and published by: Japanese Standards Association 4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents, the original JIS is to be the final authority.

© ISA 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

SI/AT

## Contents

		Page
1	Scope	1
2	Normative references	1
3	Classification and designation	2
4	Quality	2
4.1	Appearance	2
4.2	Leaching amount and content of harmful material	2
4.3	Physical properties of single grain size melt-solidified slag and melt-solidified slag fine aggregate	3
4.4	Physical properties of size controlled melt-solidified slag and crusher-run melt-solidified slag	4
5	Test method	4
5.1	Sampling	4
5.2	Test for leaching amount and acid extractable content of chemicals	4
5.3	Grain size test	5
5.4	Test for density in saturated surface-dry condition and water absorption	5
5.5	Abrasion loss test	5
6	Inspection	5
6.1	Lot control of melt-solidified slag	5
6.2	Procedure	5
6.3	Keeping on inspection data	5
6.4	Others	5
7	Marking	6
8	Report	6