



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS A 6207 : 2011

(JST/JSA)

Silica fume for use in concrete

ICS 91.100.30

Reference number : JIS A 6207 : 2011 (E)

This is a preview. [Click here to purchase the full publication.](#)

Date of Establishment: 2000-07-20

Date of Revision: 2011-05-20

Date of Public Notice in Official Gazette: 2011-05-20

Investigated by: Japanese Industrial Standards Committee
Standards Board
Technical Committee on Civil Engineering

JIS A 6207 : 2011, First English edition published in 2011-11

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

NH/HN

Contents

	Page
Introduction	1
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Classification	3
5 Quality	3
5.1 Quality of powdery silica fume and granular silica fume	3
5.2 Quality of silica fume slurry	4
6 Sample	4
6.1 Sampling	4
6.2 Preparation	4
7 Test method	4
7.1 Silicon dioxide	5
7.2 Magnesium oxide	5
7.3 Sulphur trioxide	5
7.4 Free calcium oxide	5
7.5 Free silicon	5
7.6 Chloride ion	5
7.7 Ignition loss	5
7.8 Humidity	5
7.9 Specific surface area	5
7.10 Activity index	5
7.11 Density	5
7.12 Solid content in silica fume slurry	5
8 Inspection	5
9 Packaging	5
10 Marking	5
11 Report	6
Annex A (normative) Determination of free calcium oxide	8
Annex B (normative) Determination of moisture content and ignition loss of silica fume	11
Annex C (normative) Test method for activity index of silica fume based on mortar	13